


Image encoding



Contents

1	Pixels and resolution	1
2	Black and white	2
3	Color images	5
4	Image formats	10
5	Image compression	12
6	Image steganography	14

1. Pixels and resolution

An digital image is broken up into tiny elements called **pixels**. (That word was coined as a contraction of “picture element.”) A pixel is perceived as a solid color, and neighboring pixels can be different colors.

When we refer to the **resolution** of an image or a display device, we might be talking about two different things:

- The **number** of pixels in the image. For example, a typical low-resolution computer screen might be 1024×768. This is 786,432 pixels total, or about three-fourths of a megapixel. An high-definition (HD) video image is 1920×1080, or about 2 megapixels. Digital cameras can produce 5 or 10 megapixels or so, which means the image is larger than you can fit on most screens.
- Resolution can also refer to the **density** of the pixels in the display – usually referred to as **pixels per inch** (PPI) or dots per inch (DPI). Computer screens tend to be around 100 ppi, but some are larger. The Apple Retina brand displays are in the range 220–320 ppi. We can achieve much higher density using print on paper: a high-end laser printer might be 1200 dpi or even higher. Projection screens are likely very low density, just because the same number of pixels are stretched over several feet.

2. Black and white

So how do we encode pixels as bits? The easiest case is when the image is completely black and white. That is, each pixel is either on or off. Then we can represent each pixel as exactly one bit.

On paper or a whiteboard, it's sensible to let 0 = off = white (the default background color) and 1 = on = black (the color of your pen). So let's draw an 8×8 pixel grid. We'll fill in some pixels and leave others blank. This particular grid displays an alien from the early arcade game **Space Invaders**.




Figure 1: 183C7EDBFF245AA5

Since each pixel is exactly one bit, it's trivial to represent this as a binary number. The top row is 00011000, followed immediately by the next row 00111100 and so on. You'd have to know in advance that these bits represent an image that fits in an 8×8 grid. Otherwise, we could precede it by a few bytes to specify the grid size.

Again, binary strings are long so it's nice to be able to abbreviate them using hexadecimal. This leads to a very natural encoding where you write 8, 2, 4, 1 over each group of 4 pixels, and then convert the results. You can see the hexadecimal encoding to the right of the image.

You should practice encoding and decoding icons like this. Here's one example you can decode from the hex.

To practice further, decode these additional characters from that font:

- 3C66703C0E663C00
- 7E607C0606663C00
- C6CCD8F0D8CCC600
- 00663CFF3C660000
- 0066ACD8366ACC00

8	4	2	1	8	4	2	1	
								38
								6C
								68
								76
								DC
								CE
								7B
								00

Figure 2: Sample image decoding problem

You can also encode characters in hexadecimal based on the following font image. (Right-click, view image, zoom in with control-plus to see the 8x8 grids over each character cell.)




Figure 3: 8x8 pixel font

You can also use the 1-bit per pixel encoding **with color** as long as each encoded image has one solid foreground color on a contrasting background. For example, in older versions of the Pac-Man game, the protagonist and each ghost are solid colors, even though the colors are all different. These shapes can still be encoded as 1 bit per pixel.

Further exploration:

- This bitmap message¹ was broadcast into space by the Arecibo radio telescope in Puerto Rico in 1974.
- The Sketchbook of Susan Kare, the Artist Who Gave Computing a Human Face² by Steve Silberman



¹en.m.wikipedia.org/wiki/Arecibo_message



²blogs.plos.org/neurotribes/2011/11/22/the-sketchbook-of-susan-kare-the-artist-who-gave-computing-a-human-face/



Figure 4: Pac-Man game – each moving character is one solid color




Figure 5: A 1-bit per pixel display on campus

3. Color images

How would we combine multiple colors into the same image? As a brief detour, let's explore what we mean by color.

What is color?

Color can simply refer to the *wavelength* of light. We perceive short wavelengths as violet, and long wavelengths as red. In between are the usual spectrum of colors: orange, yellow, green, blue, etc. This range covers **visible light**, but there are also “colors” (other wavelength ranges) we can't perceive at all. Light with longer wavelengths than red is **infra-red**, and with shorter wavelengths than violet is **ultra-violet**.




Figure 6: from How We See Color

Apart from the wavelength spectrum, the anatomy of our eyes leads to another way to explain color. Our retinas contain light-sensitive cells known as **rods and cones**. The rods are largely color-blind, but are sensitive to small amounts of light so they help with night vision. The cones come in three flavors, sensitive to different wavelengths. The wavelengths that generate a response overlap, so the “in-between” colors are perceived as combinations of multiple cones.

When you painted in elementary school, you may have learned about the three **primary colors**: red, yellow, and blue. Red and yellow make orange, yellow and blue make green, etc.

With subtractive color, mixing paints results in dark and darker colors. Most computer displays, however, are based on additive color. In this model, we mix red, **green**, and blue lights to make different colors.

“Subpixels”

A pixel in most display technologies is actually a composition of three different lamps. They are so tightly packed that we usually cannot distinguish them independently, so they activate our cones as if they were producing a single wavelength.

On some large displays, you can see these “subpixels” with the naked eye, if you stand close enough. The following is a close-up of the display outside the Brooklyn Academy




Figure 7: from Color-Sensitive Cones




Figure 8: Subtractive Color Mixing from Color Theory – click through to see why it's labeled "misleading"




Figure 9: Additive Color Mixing, again from Color Theory




Figure 10: Two versions of an iPad display, under a microscope (iPad 3 on the left is a Retina display)

of Music on Flatbush Avenue. You can clearly see the pixels have six lamps: two red in the center, and the green and blue on opposite corners.



Figure 11: Subpixels visible with the naked eye

I wrote a little program to render images in a simulation of the subpixel layout of the BAM sign. If you right-click below and open Bart in a new tab, you can zoom in (control-plus). You'll see that what you perceive as yellow at a distance is actually just red and green; the whites of Bart's eyes are just red-green-blue.



Color encoding

Now, back to encoding color images as bits. Imagine using **3 bits per pixel**. (We call the number of bits used to represent the color of a single pixel the color depth of the image.) We would map each bit to one of the Red-Green-Blue primary lamps. That leads to these eight colors:

- 0 = 000 = black
- 1 = 001 = blue
- 2 = 010 = green

- 3 = 011 = cyan
- 4 = 100 = red
- 5 = 101 = magenta
- 6 = 110 = yellow
- 7 = 111 = white

Some systems extended this to **4-bit color**, using the 4th bit to indicate extra brightness of all the lamps at once. That produces 16 colors like the following. See also my 4-bit color demo.




Figure 12: from Wikipedia on the IBM Color Graphics Adapter (1981)

Now let's expand to **6-bit color**. Since it's a multiple of 3, we can control the brightness of each lamp independently: 2 bits for red, 2 bits for green, 2 bits for blue. We'll interpret the two bits as:

- 0 = 00 = off
- 1 = 01 = low
- 2 = 10 = medium
- 3 = 11 = high

Then the color 110110 combines bright red (11), dark green (01), and medium blue (10). When all three lamps are the same brightness, we get shades of gray. so 000000 is black, 010101 is dark gray, 101010 is light gray, and 111111 is white. In total, there are $2^6 = 64$ possible colors with 6 bits.

We can apply the technique to any multiple of three: 9-bit color (512 possible colors), 12-bit color (4,096), and so on. Skipping these, our next stop will be **24-bit color**. It's also known as **true color**, since it is believed to be more colors (16 million!) than any human can distinguish anyway. Using 8 bits (one byte) for each lamp, we get to dial the brightness from 0–255. Expressing these 8 bits as two hexadecimal digits, that range is 00–FF.

So true colors are six-digit hexadecimal numbers, like 6B1CC6. Let's decompose that into bits:

6	B	1	C	C	6
0 1 1 0	1 0 1 1	0 0 0 1	1 1 0 0	1 1 0 0	0 1 1 0
<-----Red----->		<----Green----->		<-----Blue----->	

With this color, we have the red lamp at $6B_{16} = 107_{10}$ (out of 255, or 42%) brightness. The green lamp is $1C = 28$ out of 255, or 11% brightness. The blue lamp is $C6 = 198$ out of 255, or 78% brightness. Obviously, blue is the dominant color, with red next. Here is a sample of 6B1CC6:



Further exploration:

- You can play with hex true colors by adjusting sliders in my 24-bit color demo
- There's a color quiz called What the Hex?
- Video: Magenta doesn't exist — Here's why³ with Steve Mould, [5m 14s]
- Example of physiological color afterimage, from BBC Four's The Spectrum of Science [video] and physicist Helen Czerski:
 - False color
 - Grayscale



³youtu.be/iPP
YGJjKVco

4. Image formats

The representations we've explored so far – simply writing the bits representing pixel colors – is known informally as a **bitmap**. There's a BMP image format based on this, but it contains additional bits to specify the color depth, image size, and some other capabilities. The three formats we'll concentrate on are PNG, JPEG, and GIF.

PNG (Portable Network Graphics) is a compressed image format that supports 24-bit color. It's a great choice for comics, drawings, logos, and icons.

JPEG (Joint Photographic Experts Group) is also compressed, but it's designed especially for photographs. Unlike PNG, the compression in JPEG is **lossy** – it actually throws away some of the information in the original image, so it can achieve a smaller file size. In photographs the lossage is mostly not noticeable, although if you intend to crop and edit your photos it's best to compress only once, at the very end. Each time you edit and save a JPEG, more information is lost.




Figure 13: A (slightly exaggerated) look at using JPEG for line drawings, by Louis Brandy

GIF (Graphic Interchange Format) is a relatively old format, but it remains popular in some applications mainly because it supports simple animation. The format can contain a sequence of images that are then displayed in quick succession, and usually looped. The pixel content is compressed using the lossless LZW algorithm.


`data/66/2102e9-a14e-4709-ace6-eccce7151fc3/earth-anim.gif`

The big weakness of GIF is that each image can use at most 256 colors. That's because the pixel data are encoded using 8 bits per pixel. A program that creates a GIF can choose **which** 256 colors out of the full 16-million 24-bit colors to use, so that helps a bit. But it remains a poor choice for photographs, which usually have subtle color gradations across highlights and shadows.



5. Image compression

In this section, we'll look in further detail about one method for lossless image compression. This technique is known as Run-Length Encoding (RLE). We'll use this 16×11 pixel flag image as an example. It is shown zoomed in on the left, so all the pixels are independently visible, and then zoomed out on the right. The yellow strips and darkened edges are meant to give it a slightly three-dimensional look.



The image uses the colors red, white, blue, yellow, dark red, and dark white (light gray). Let's represent the colors using 4 bits, where the fourth (left-most) bit indicates brightness, as in the 1981 CGA image above, or my 4-bit color demo.

COLOR	BITS	HEX
red	1100	C
white	1111	F
blue	1001	9

```
yellow      1110    E
dark red    0100    4
dark white  0111    7
```

The simplest (bitmap) encoding is to write the four bits for each pixel, in order from left to right and top to bottom. So in one byte, we can represent two pixels. The total number of pixels is $16 \times 11 = 176$, so that's $176 \div 2 = 88$ bytes. The first few rows would be encoded as these bytes (hex notation):

```
99 99 99 99 9C CC CC C4
9F 9F 9F 9F 9F FF FF E7
99 99 99 99 9C CC CC E4
```

To compress this image using run-length encoding, we would specify first the color, and then the number of horizontal pixels to paint with that color. For example, the first row would say “9 pixels of red, then 6 pixels of white, then 1 pixel of dark red.” Each instruction can be encoded as one byte: the first four bits for the number of pixels (up to 15), and then another four bits for the color of those pixels. So the first row would be represented by just these three bytes:

```
99 6C 14
```

The second row would require many more instructions, because it alternates colors so much:

```
19 1F 19 1F 19 1F 19 1F 19 5F 1E 17
```

Then the third row:

```
99 5C 1E 14
```

Unless every row contains a lot of alternation, this will tend to save quite a few bytes. My estimate is:

```
Row 1: 3 bytes
Row 2: 12 bytes
Row 3: 4 bytes
Row 4: 10 bytes
Row 5: 4 bytes
Row 6: 12 bytes
Row 7: 4 bytes
Row 8: 3 bytes
Row 9: 3 bytes
Row 10: 3 bytes
Row 11: 2 bytes
TOTAL: 60 bytes (~32% reduction)
```



Further exploration:

- How JPEG handles colors and compression (with videos from Computerphile)

6. Image steganography

Steganography is a way of sending a secret message to someone, where the message is “hidden in plain sight.” If you don’t know to look for it, you never notice it’s there.

This section demonstrates an image steganography program that I wrote. It takes a normal true-color image and manipulates the **lowest two bits** of each color byte, storing a secondary 6-bit color image there. The changes this entails are so minor, you never notice they are there. (This works only with lossless compression; if you store the photo as a typical JPEG, its lossy compression will disrupt the hidden image.) You can reveal the hidden image by clicking the left-shift button (◀) six times.







- Steganography⁴, a 9-minute video I made that explains and explores this idea a little further.


The image-within-image steganography technique works best with photographs, where there are subtle gradations of color everywhere. If you start with a cartoon-style image, with large solid blocks of unvarying color, it's easier to see the hint of the inner




⁴www.youtube.com/watch?v=-7FBPgQDX5o

image. Here is an example. Depending on how good your monitor and eyes are, you can make out some outlines of the 6-bit hidden image, before shifting the pixel values.







It's maybe even a little more visible when the inner image is a cartoon too.